Android EMM Policies and Permissions

Android EMM (Enterprise Mobile Management) allows you to create permissions and send policies.

Permissions Types

Permission settings may be configured on multiple levels. They are applied in this priority (low number wins).

1. Application specific permission grant (list below dropdown in Permissions tab in applications fileset properties)
2. Specific permission for all applications (configured in Policy Fileset)
3. Application default (Play Store App Fileset → Permissions tab)
4. Global default (Android Default Policy Editor)

1. Within Each App

After you have created a Google Play Apps Fileset:

1. Double click the Play Store App fileset
2. Permissions tab (Figure 1.1)
    1. App Default Permission - The default action devices will take when an app requests a permissions
    2. Application specific permission grant - The setting for a specific permission within this app
3. Choices
    1. Use Default - Defer to another setting
    2. Prompt - App prompts the user to approve
    3. Grant - Allowed, user can not change
    4. Deny - Not Allowed, user can no change

2. Policy Fileset - Permissions

You can create a policy fileset and associate that to a device to specify permission grants/denies.

See below for steps.

3. Global Policy

Specify the default application permission choice. (Figure 1.2)

Found under FileWave Admin → Preferences → Google → Configure Default Policy

- Unspecified
- Prompt
- Grant
- Deny

After you chance the default policy, you must update the model to apply the change.

Policies

You can create a Policy for (Figure 2.1)

- Network
- Compliance
- Password
- Device Restrictions
- Permission Grants

Network

Settings to join a WiFi network

> ℹ️ As of 15.4, additional options have been added for DomainSuffixMatch and UseSystemCA for EAP network configuration.

Network

Configuration Block Name

Provide a "human friendly" name to the underlying Open Network Configuration object. FileWave's semantics make this an unnecessary field, so FileWave will generate a name as required. However, if exporting this configuration for external use or auditing, specifying a value here may be helpful.

[optional]

Network Configuration Type

At present, Google supports exactly one "Open Network Configuration" configuration type: WiFi

WIFI

Service Set Identifier (SSID)

The SSID of the wireless network. Sometimes called "the wifi network name." To configure a non-UTF-8 SSID, use the Hexadecimal option.

( ) UTF-8   ( ) Hexadecimal

NETWORK NAME

[ ] Hidden Network

Enable this checkbox if the network is hidden (or does not broadcast the SSID).

[x] Auto Connect

Enable this checkbox if devices should automatically connect to the network when in range.

Encryption Protocol

The encryption protocol devices must utilize to connect to this network.

WEP-PSK

Pre-Shared Key

The pre-shared key for this network. This is also often referred to as the "wireless password", "network password", and "passphrase."

3216549875

Cancel   Save

Compliance Policy

Set compliance level of associated devices.

- None - Do not enforce any compliance. When other settings are sent they can be ignored and the device will operate
- Low (Default) - Require password compliance. If not compliant, no other apps will open
- High - same as low, but additionally disables any device running below Android 7.

Compliance Policy

Security Level

Low

Require password compliance. If the user's password is not in compliance, all apps will be disabled.

Cancel   Save

Password Policy

Set password constraints

- Password History Length - The length of the password history. After setting this field, the user won't be able to enter a new password that is the same as any password in the history. A value of 0 means there is no restriction
- Count of Failed Passwords for Wipe - Number of incorrect device-unlock passwords that can be entered before a device is wiped. A value of 0 means there is no restriction.
- Password Expiration Timeout - A duration after which a password must be changed. A value of 0 means that passwords do not expire.
- Password Quality - The restrictions an Android device will enforce
  - Weak Biometric - The device must be secured with a low-security biometric recognition technology, at minimum. This includes technologies that can recognize the identity of an individual that are roughly equivalent to a 3-digit PIN (false detection is less than 1 in 1,000)
  - Password Required - A password is required, but there are no restrictions on what the password must contain.
  - Numeric - Must contain numeric characters
    - Minimum Length
  - Numeric , Non repeating - Must contain numeric characters with no repeating (4444) or ordered (1234, 4321, 2468) sequences.
    - Minimum Length
  - Alphabetic - The password must contain alphabetic (or symbol) characters.
    - Minimum Length
  - Alphanumeric - The password must contain both numeric and alphabetic (or symbol) characters
    - Minimum Length
  - Complex - The password must contain at least a letter, a numerical digit and a special symbol. Other password constraints, for example, passwordMinimumLetters are enforced.
    - Minimum length

- Minimum count of letters
- Minimum count of uppercase letters
- Minimum count of non-alphanumerics
- Minimum count of numerals
- Minimum count of special symbols

Device Restrictions

Restrict access to device functionality
You can choose Unspecified, Allowed, Disallowed for:

- Use of camera
- Debugging
- Install packages from unknown sources
- Allow user to add own WiFi networks

> ⓘ As of 15.4, a new restriction for USB Data Access has been included.

Permission Grants

A detailed list of permission settings for settings that have been classified

- Dangerous
- Normal
- No Classification

And includes everything from allowing answering of calls, camera, NFC, vibrate, to battery status, and system alerts

Toggle to show all Permission options... Expand source

```
ACCEPT_HANDOVER
ACCESS_BACKGROUND_LOCATION
ACCESS_COARSE_LOCATION
ACCESS_FINE_LOCATION
ACTIVITY_RECOGNITION
ADD_VOICEMAIL
ANSWER_PHONE_CALLS
BODY_SENSORS
CALL_PHONE
CAMERA
GET_ACCOUNTS
PROCESS_OUTGOING_CALLS
READ_CALENDAR
READ_CALL_LOG
READ_CONTACTS
READ_EXTERNAL_STORAGE
READ_PHONE_NUMBERS
READ_PHONE_STATE
READ_SMS
RECEIVE_MMS
RECEIVE_SMS
RECEIVE_WAP_PUSH
RECORD_AUDIO
SEND_SMS
USE_SIP
WRITE_CALENDAR
WRITE_CALL_LOG
WRITE_CONTACTS
WRITE_EXTERNAL_STORAGE
ACCESS_LOCATION_EXTRA_COMMANDS
ACCESS_NETWORK_STATE
ACCESS_NOTIFICATION_POLICY
ACCESS_WIFI_STATE
BLUETOOTH
BLUETOOTH_ADMIN
BROADCAST_STICKY
CALL_COMPANION_APP
CHANGE_NETWORK_STATE
CHANGE_WIFI_MULTICAST_STATE
CHANGE_WIFI_STATE
DISABLE_KEYGUARD
EXPAND_STATUS_BAR
FOREGROUND_SERVICE
GET_AND_REQUEST_SCREEN_LOCK_COMPLEXITY
GET_PACKAGE_SIZE
INSTALL_SHORTCUT
INTERNET
KILL_BACKGROUND_PROCESSES
MANAGE_OWN_CALLS
MODIFY_AUDIO_SETTINGS
NFC
```

NFC_TRANSACTION_EVENT

READ_SYNC_SETTINGS

READ_SYNC_STATS

RECEIVE_BOOT_COMPLETED

REORDER_TASKS

REQUEST_COMPANION_RUN_IN_BACKGROUND

REQUEST_COMPANION_USE_DATA_IN_BACKGROUND

REQUEST_DELETE_PACKAGES

REQUEST_IGNORE_BATTERY_OPTIMIZATIONS

SET_ALARM

SET_WALLPAPER

SET_WALLPAPER_HINTS

TRANSMIT_IR

USE_BIOMETRIC

USE_FINGERPRINT

VIBRATE

WAKE_LOCK

WRITE_SYNC_SETTINGS

ACCESS_MEDIA_LOCATION

BATTERY_STATS

BIND_REMOTEVIEWS

BIND_SMS_APP_SERVICE

CHANGE_CONFIGURATION

GET_ACCOUNTS_PRIVILEGED

GET_TASKS

GLOBAL_SEARCH

INSTANT_APP_FOREGROUND_SERVICE

PACKAGE_USAGE_STATS

PERSISTENT_ACTIVITY

READ_MEDIA_AUDIO

READ_MEDIA_IMAGES

READ_MEDIA_VIDEO

SMS_FINANCIAL_TRANSACTIONS

SYSTEM_ALERT_WINDOW

USE_FULL_SCREEN_INTENT


Figure 1.1 - App

Figure 1.2 - Global

Figure 2.1 - Policy Options

DEDICATED DEVICE

Keyguard

This feature enables you to lock and unlock your screen.
Disabled option will bypass the lock screen.

Custom Launcher

When enabled, it will set your device to kiosk mode. All the applications available on device screen were deployed through FileWave.

Locked Task

This option will lock the device to open only a single app. The App must be downloaded and installed via FileWave.