

FileWave Boosters Improved Server Message Routing

What


FileWave 11 introduced Booster Routing, a feature that allows off-loading direct traffic to the server by routing messages via Booster. This feature provides additional security if you only allow boosters to connect to your server and have all your devices only reach boosters. With FileWave 15.0, the internal notification system has switched entirely to NATS, replacing ZMQ; NATS, in addition to built-in security features and improved performances, brings much more flexibility and can then be used in more areas.

When/Why

FileWave 15.3 can now use NATS as the communication protocol for all maintenance messages between client and server. Fileset delivery still uses the classic protocol, but messages like Fileset status or check-in now use the lightweight and fast delivery mechanism offered by NATS.

How

Please review the [Boosters](#) documentation. If you manage Windows or macOS systems, you most likely need one or more Boosters. For Hosted customers, you are required to have Boosters to minimize the data traffic from your Hosted FileWave Server. You'll want to ensure that "Route server messages via boosters." is enabled in your [Superprefs](#) or [Custom FileWave Client](#).



Related Content

- [Boosters](#)
- [Creating a Superprefs Fileset](#)

🔄Revision #7

★Created 12 March 2024 16:04:26 by Josh Levitsky

✍Updated 28 February 2025 14:40:10 by Josh Levitsky