

Managing Revisions

What

There are quite a number of things we can do to "manage" revisions. We can create new revisions, edit them, delete them, and set default revisions.


When/Why

Our management options breakdown as follows:

- Editing revisions (different from editing the contents of the revision) allows us to change the names and descriptions of revisions
- Creating them allows us to create additional revisions in the current fileset
- Deleting a revision, as the name implies, allows us to remove a revision from a fileset
- Setting a revision as the "Default" allows us to easily deal with associations for testing and production in different ways

How

The thing that all of the options listed above have in common is they are all accessed in the same way, through the "Manage Revisions" button in the Fileset Editor, the Script Editor, or the Fileset Properties window, as shown below:



Fileset Scripts: Firefox

Revision: <default> (v79) ⌵ Manage Revisions

Scripts

Search...

Script

Requirement Scripts

(empty)

Preflight Scripts

(empty)

Activation Scripts

(empty)

Postflight Scripts

(empty)

Verification Scripts

(empty)

Drag scripts into the order you prefer.

☐ Re-run requirement scripts on change and uninstall active Fileset if they failed


Create

Import

Edit

Cancel

OK



Each of the management options is detailed in the articles linked below.

Related Content

- ["Default" Revisions](#)
- [Creating a New Revision](#)
- [Editing Fileset Revisions](#)
- [Removing/Deleting a Revision](#)

🕒Revision #3

★Created 11 July 2023 20:12:28 by Josh Levitsky

✎Updated 11 July 2023 20:36:17 by Josh Levitsky