

Troubleshooting Errors with WinGet


What

WinGet is a command line tool to manage applications on the Windows 10 and 11 platform.

Note that FileWave 15.4 or later is required.

When/Why

After we initially install any package there may be an error. This will offer some reasons for those errors.



How

Microsoft provides some documentation on error codes. They are pasted below but also a link to them is included in [Related Content](#) below the tables.

Return Codes

General Errors

| Hex | Decimal | Symbol | Description |
|------------|-------------|-------------------------------------------------------|--------------------------------|
| 0x8A150001 | -1978335231 | APPINSTALLER_CLI_ERROR_INTERNAL_ERROR | Internal Error |
| 0x8A150002 | -1978335230 | APPINSTALLER_CLI_ERROR_INVALID_COMMAND_LINE_ARGUMENTS | Invalid command line arguments |
| 0x8A150003 | -1978335229 | APPINSTALLER_CLI_ERROR_COMMAND_FAILED | Executing command failed |
| 0x8A150004 | -1978335228 | APPINSTALLER_CLI_ERROR_MANIFEST_FAILED | Opening manifest failed |
| 0x8A150005 | -1978335227 | APPINSTALLER_CLI_ERROR_CANCELLATION_SIGNAL_RECEIVED | Cancellation signal received |
| 0x8A150006 | -1978335226 | APPINSTALLER_CLI_ERROR_SHELL_EXECUTE_FAILED | Running ShellExecute failed |
| | | | |

| | | | |
|------------|-------------|------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| 0x8A150007 | -1978335225 | APPINSTALLER_CLI_ERROR_UNSPORTED_MANIFESTVERSION | Cannot process manifest. The manifest version is higher than supported. Please update the client. |
| 0x8A150008 | -1978335224 | APPINSTALLER_CLI_ERROR_DOWNLOAD_FAILED | Downloading installer failed |
| 0x8A150009 | -1978335223 | APPINSTALLER_CLI_ERROR_CANNOT_WRITE_TO_UPLEVEL_INDEX | Cannot write to index; it is a higher schema version |
| 0x8A15000A | -1978335222 | APPINSTALLER_CLI_ERROR_INDEX_INTEGRITY_COMPROMISED | The index is corrupt |
| 0x8A15000B | -1978335221 | APPINSTALLER_CLI_ERROR_SOURCES_INVALID | The configured source information is corrupt |
| 0x8A15000C | -1978335220 | APPINSTALLER_CLI_ERROR_SOURCE_NAME_ALREADY_EXISTS | The source name is already configured |
| 0x8A15000D | -1978335219 | APPINSTALLER_CLI_ERROR_INVALID_SOURCE_TYPE | The source type is invalid |
| 0x8A15000E | -1978335218 | APPINSTALLER_CLI_ERROR_PACKAGE_IS_BUNDLE | The MSIX file is a bundle, not a package |
| 0x8A15000F | -1978335217 | APPINSTALLER_CLI_ERROR_SOURCE_DATA_MISSING | Data required by the source is missing |
| 0x8A150010 | -1978335216 | APPINSTALLER_CLI_ERROR_NO_APPLICABLE_INSTALLER | None of the installers are applicable for the current system |
| 0x8A150011 | -1978335215 | APPINSTALLER_CLI_ERROR_INSTALLER_HASH_MISMATCH | The installer file's hash does not match the manifest |
| 0x8A150012 | -1978335214 | APPINSTALLER_CLI_ERROR_SOURCE_NAME_DOES_NOT_EXIST | The source name does not exist |
| 0x8A150013 | -1978335213 | APPINSTALLER_CLI_ERROR_SOURCE_ARG_ALREADY_EXISTS | The source location is already configured under another name |
| 0x8A150014 | -1978335212 | APPINSTALLER_CLI_ERROR_NO_APPLICATIONS_FOUND | No packages found |
| 0x8A150015 | -1978335211 | APPINSTALLER_CLI_ERROR_NO_SOURCES_DEFINED | No sources are configured |
| 0x8A150016 | -1978335210 | APPINSTALLER_CLI_ERROR_MULTIPLE_APPLICATIONS_FOUND | Multiple packages found matching the criteria |
| 0x8A150017 | -1978335209 | APPINSTALLER_CLI_ERROR_NO_MANIFEST_FOUND | No manifest found matching the criteria |
| 0x8A150018 | -1978335208 | APPINSTALLER_CLI_ERROR_EXTENSION_PUBLIC_FAILED | Failed to get Public folder from source package |
| 0x8A150019 | -1978335207 | APPINSTALLER_CLI_ERROR_COMMAND_REQUIRES_ADMIN | Command requires administrator privileges to run |
| 0x8A15001A | -1978335206 | APPINSTALLER_CLI_ERROR_SOURCE_NOT_SECURE | The source location is not secure |
| 0x8A15001B | -1978335205 | APPINSTALLER_CLI_ERROR_MSSTORE_BLOCKED_BY_POLICY | The Microsoft Store client is blocked by policy |
| 0x8A15001C | -1978335204 | APPINSTALLER_CLI_ERROR_MSSTORE_APP_BLOCKED_BY_POLICY | The Microsoft Store app is blocked by policy |
| 0x8A15001D | -1978335203 | APPINSTALLER_CLI_ERROR_EXPERIMENTAL_FEATURE_DISABLED | The feature is currently under development. It can be enabled using winget settings. |
| 0x8A15001E | -1978335202 | APPINSTALLER_CLI_ERROR_MSSTORE_INSTALL_FAILED | Failed to install the Microsoft Store app |
| 0x8A15001F | -1978335201 | APPINSTALLER_CLI_ERROR_COMPILE_INPUT_BAD | Failed to perform auto complete |
| 0x8A150020 | -1978335200 | APPINSTALLER_CLI_ERROR_YAML_INIT_FAILED | Failed to initialize YAML parser |
| 0x8A150021 | -1978335199 | APPINSTALLER_CLI_ERROR_YAML_INVALID_MAPPING_KEY | Encountered an invalid YAML key |
| 0x8A150022 | -1978335198 | APPINSTALLER_CLI_ERROR_YAML_DUPLICATE_MAPPING_KEY | Encountered a duplicate YAML key |
| 0x8A150023 | -1978335197 | APPINSTALLER_CLI_ERROR_YAML_INVALID_OPERATION | Invalid YAML operation |
| 0x8A150024 | -1978335196 | APPINSTALLER_CLI_ERROR_YAML_DOC_BUILD_FAILED | Failed to build YAML doc |
| 0x8A150025 | -1978335195 | APPINSTALLER_CLI_ERROR_YAML_INVALID_EMITTER_STATE | Invalid YAML emitter state |
| 0x8A150026 | -1978335194 | APPINSTALLER_CLI_ERROR_YAML_INVALID_DATA | Invalid YAML data |
| 0x8A150027 | -1978335193 | APPINSTALLER_CLI_ERROR_LIBYAML_ERROR | LibYAML error |
| 0x8A150028 | -1978335192 | APPINSTALLER_CLI_ERROR_MANIFEST | Manifest validation succeeded with |

| | | | |
|------------|-------------|--------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| | | EST_VALIDATION_WARNING | warning |
| 0x8A150029 | -1978335191 | APPINSTALLER_CLI_ERROR_MANIFEST_VALIDATION_FAILURE | Manifest validation failed |
| 0x8A15002A | -1978335190 | APPINSTALLER_CLI_ERROR_INVALID_MANIFEST | Manifest is invalid |
| 0x8A15002B | -1978335189 | APPINSTALLER_CLI_ERROR_UPDATE_NOT_APPLICABLE | No applicable update found |
| 0x8A15002C | -1978335188 | APPINSTALLER_CLI_ERROR_UPDATE_ALL_HAS_FAILURE | winget upgrade --all completed with failures |
| 0x8A15002D | -1978335187 | APPINSTALLER_CLI_ERROR_INSTALLER_SECURITY_CHECK_FAILED | Installer failed security check |
| 0x8A15002E | -1978335186 | APPINSTALLER_CLI_ERROR_DOWNLOAD_SIZE_MISMATCH | Download size does not match expected content length |
| 0x8A15002F | -1978335185 | APPINSTALLER_CLI_ERROR_UNINSTALL_INFO_NOT_FOUND | Uninstall command not found |
| 0x8A150030 | -1978335184 | APPINSTALLER_CLI_ERROR_EXEC_UNINSTALL_COMMAND_FAILED | Running uninstall command failed |
| 0x8A150031 | -1978335183 | APPINSTALLER_CLI_ERROR_ICU_BREAK_ITERATOR_ERROR | ICU break iterator error |
| 0x8A150032 | -1978335182 | APPINSTALLER_CLI_ERROR_ICU_CASEMAP_ERROR | ICU casemap error |
| 0x8A150033 | -1978335181 | APPINSTALLER_CLI_ERROR_ICU_REGEX_ERROR | ICU regex error |
| 0x8A150034 | -1978335180 | APPINSTALLER_CLI_ERROR_IMPORT_INSTALL_FAILED | Failed to install one or more imported packages |
| 0x8A150035 | -1978335179 | APPINSTALLER_CLI_ERROR_NOT_ALL_PACKAGES_FOUND | Could not find one or more requested packages |
| 0x8A150036 | -1978335178 | APPINSTALLER_CLI_ERROR_JSON_INVALID_FILE | Json file is invalid |
| 0x8A150037 | -1978335177 | APPINSTALLER_CLI_ERROR_SOURCE_NOT_REMOTE | The source location is not remote |
| 0x8A150038 | -1978335176 | APPINSTALLER_CLI_ERROR_UNsupported_RESTSOURCE | The configured rest source is not supported |
| 0x8A150039 | -1978335175 | APPINSTALLER_CLI_ERROR_RESTSOURCE_INVALID_DATA | Invalid data returned by rest source |
| 0x8A15003A | -1978335174 | APPINSTALLER_CLI_ERROR_BLOCKED_BY_POLICY | Operation is blocked by Group Policy |
| 0x8A15003B | -1978335173 | APPINSTALLER_CLI_ERROR_REST_API_INTERNAL_ERROR | Rest API internal error |
| 0x8A15003C | -1978335172 | APPINSTALLER_CLI_ERROR_RESTSOURCE_INVALID_URL | Invalid rest source url |
| 0x8A15003D | -1978335171 | APPINSTALLER_CLI_ERROR_REST_API_UNSUPPORTED_MIME_TYPE | Unsupported MIME type returned by rest API |
| 0x8A15003E | -1978335170 | APPINSTALLER_CLI_ERROR_RESTSOURCE_INVALID_VERSION | Invalid rest source contract version |
| 0x8A15003F | -1978335169 | APPINSTALLER_CLI_ERROR_SOURCE_DATA_INTEGRITY_FAILURE | The source data is corrupted or tampered |
| 0x8A150040 | -1978335168 | APPINSTALLER_CLI_ERROR_STREAM_READ_FAILURE | Error reading from the stream |
| 0x8A150041 | -1978335167 | APPINSTALLER_CLI_ERROR_PACKAGE_AGREEMENTS_NOT_ACCEPTED | Package agreements were not agreed to |
| 0x8A150042 | -1978335166 | APPINSTALLER_CLI_ERROR_PROMPT_INPUT_ERROR | Error reading input in prompt |
| 0x8A150043 | -1978335165 | APPINSTALLER_CLI_ERROR_UNsupported_SOURCE_REQUEST | The search request is not supported by one or more sources |
| 0x8A150044 | -1978335164 | APPINSTALLER_CLI_ERROR_REST_API_ENDPOINT_NOT_FOUND | The rest API endpoint is not found. |
| 0x8A150045 | -1978335163 | APPINSTALLER_CLI_ERROR_SOURCE_OPEN_FAILED | Failed to open the source. |
| 0x8A150046 | -1978335162 | APPINSTALLER_CLI_ERROR_SOURCE_AGREEMENTS_NOT_ACCEPTED | Source agreements were not agreed to |
| 0x8A150047 | -1978335161 | APPINSTALLER_CLI_ERROR_CUSTOM_HEADER_EXCEEDS_MAXLENGTH | Header size exceeds the allowable limit of 1024 characters. Please reduce the size and try again. |
| 0x8A150048 | -1978335160 | APPINSTALLER_CLI_ERROR_MISSING_RESOURCE_FILE | Missing resource file |
| 0x8A150049 | -1978335159 | APPINSTALLER_CLI_ERROR_MSI_INSTALL_FAILED | Running MSI install failed |
| | | | |

| | | | |
|------------|-------------|-------------------------------------------------------------|------------------------------------------------------------------|
| 0x8A15004A | -1978335158 | APPINSTALLER_CLI_ERROR_INVALID_ID_MSIEXEC_ARGUMENT | Arguments for msixexec are invalid |
| 0x8A15004B | -1978335157 | APPINSTALLER_CLI_ERROR_FAILED_TO_OPEN_ALL_SOURCES | Failed to open one or more sources |
| 0x8A15004C | -1978335156 | APPINSTALLER_CLI_ERROR_DEPENDENCIES_VALIDATION_FAILED | Failed to validate dependencies |
| 0x8A15004D | -1978335155 | APPINSTALLER_CLI_ERROR_MISSING_PACKAGE | One or more package is missing |
| 0x8A15004E | -1978335154 | APPINSTALLER_CLI_ERROR_INVALID_TABLE_COLUMN | Invalid table column |
| 0x8A15004F | -1978335153 | APPINSTALLER_CLI_ERROR_UPGRADE_VERSION_NOT_NEWER | The upgrade version is not newer than the installed version |
| 0x8A150050 | -1978335152 | APPINSTALLER_CLI_ERROR_UPGRADE_VERSION_UNKNOWN | Upgrade version is unknown and override is not specified |
| 0x8A150051 | -1978335151 | APPINSTALLER_CLI_ERROR_ICU_CONVERSION_ERROR | ICU conversion error |
| 0x8A150052 | -1978335150 | APPINSTALLER_CLI_ERROR_PORTABLE_INSTALL_FAILED | Failed to install portable package |
| 0x8A150053 | -1978335149 | APPINSTALLER_CLI_ERROR_PORTABLE_REPARSE_POINT_NOT_SUPPORTED | Volume does not support reparse points. |
| 0x8A150054 | -1978335148 | APPINSTALLER_CLI_ERROR_PORTABLE_PACKAGE_ALREADY_EXISTS | Portable package from a different source already exists. |
| 0x8A150055 | -1978335147 | APPINSTALLER_CLI_ERROR_PORTABLE_SYMLINK_PATH_IS_DIRECTORY | Unable to create symlink, path points to a directory. |
| 0x8A150056 | -1978335146 | APPINSTALLER_CLI_ERROR_INSTALLER_PROHIBITS_ELEVATION | The installer cannot be run from an administrator context. |
| 0x8A150057 | -1978335145 | APPINSTALLER_CLI_ERROR_PORTABLE_UNINSTALL_FAILED | Failed to uninstall portable package |
| 0x8A150058 | -1978335144 | APPINSTALLER_CLI_ERROR_ARP_VERSION_VALIDATION_FAILED | Failed to validate DisplayVersion values against index. |
| 0x8A150059 | -1978335143 | APPINSTALLER_CLI_ERROR_UNSUPPORTED_ARGUMENT | One or more arguments are not supported. |
| 0x8A15005A | -1978335142 | APPINSTALLER_CLI_ERROR_BIND_WITH_EMBEDDED_NULL | Embedded null characters are disallowed for SQLite |
| 0x8A15005B | -1978335141 | APPINSTALLER_CLI_ERROR_NESTED_INSTALLER_NOT_FOUND | Failed to find the nested installer in the archive. |
| 0x8A15005C | -1978335140 | APPINSTALLER_CLI_ERROR_EXTRACT_ARCHIVE_FAILED | Failed to extract archive. |
| 0x8A15005D | -1978335139 | APPINSTALLER_CLI_ERROR_NESTED_INSTALLER_INVALID_PATH | Invalid relative file path to nested installer provided. |
| 0x8A15005E | -1978335138 | APPINSTALLER_CLI_ERROR_PINNED_CERTIFICATE_MISMATCH | The server certificate did not match any of the expected values. |
| 0x8A15005F | -1978335137 | APPINSTALLER_CLI_ERROR_INSTALL_LOCATION_REQUIRED | Install location must be provided. |
| 0x8A150060 | -1978335136 | APPINSTALLER_CLI_ERROR_ARCHIVE_SCAN_FAILED | Archive malware scan failed. |
| 0x8A150061 | -1978335135 | APPINSTALLER_CLI_ERROR_PACKAGE_ALREADY_INSTALLED | Found at least one version of the package installed. |
| 0x8A150062 | -1978335134 | APPINSTALLER_CLI_ERROR_PIN_ALREADY_EXISTS | A pin already exists for the package. |
| 0x8A150063 | -1978335133 | APPINSTALLER_CLI_ERROR_PIN_DOES_NOT_EXIST | There is no pin for the package. |
| 0x8A150064 | -1978335132 | APPINSTALLER_CLI_ERROR_CANNOT_OPEN_PINNING_INDEX | Unable to open the pin database. |
| 0x8A150065 | -1978335131 | APPINSTALLER_CLI_ERROR_MULTIPLE_INSTALL_FAILED | One or more applications failed to install |
| 0x8A150066 | -1978335130 | APPINSTALLER_CLI_ERROR_MULTIPLE_UNINSTALL_FAILED | One or more applications failed to uninstall |
| 0x8A150067 | -1978335129 | APPINSTALLER_CLI_ERROR_NOT_ALL_QUERIES_FOUND_SINGLE | One or more queries did not return exactly one match |
| 0x8A150068 | -1978335128 | APPINSTALLER_CLI_ERROR_PACKAGE_IS_PINNED | The package has a pin that prevents upgrade. |
| 0x8A150069 | -1978335127 | APPINSTALLER_CLI_ERROR_PACKAGE_IS_STUB | The package currently installed is the stub package |
| 0x8A15006A | -1978335126 | APPINSTALLER_CLI_ERROR_APPLICATION_SHUTDOWN_SIGNAL_RECEIVED | Application shutdown signal received |
| 0x8A15006B | -1978335125 | APPINSTALLER_CLI_ERROR_DOWNLOAD_FAILED | Failed to download package |

| | | LOAD_DEPENDENCIES | dependencies. |
|------------|-------------|---------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
| 0x8A15006C | -1978335124 | APPINSTALLER_CLI_ERROR_DOWN LOAD_COMMAND_PROHIBITED | Failed to download package. Download for offline installation is prohibited. |
| 0x8A15006D | -1978335123 | APPINSTALLER_CLI_ERROR_SERVI CE_UNAVAILABLE | A required service is busy or unavailable. Try again later. |
| 0x8A15006E | -1978335122 | APPINSTALLER_CLI_ERROR_RESU ME_ID_NOT_FOUND | The guid provided does not correspond to a valid resume state. |
| 0x8A15006F | -1978335121 | APPINSTALLER_CLI_ERROR_CLIEN T_VERSION_MISMATCH | The current client version did not match the client version of the saved state. |
| 0x8A150070 | -1978335120 | APPINSTALLER_CLI_ERROR_INVAL ID_RESUME_STATE | The resume state data is invalid. |
| 0x8A150071 | -1978335119 | APPINSTALLER_CLI_ERROR_CANN OT_OPEN_CHECKPOINT_INDEX | Unable to open the checkpoint database. |
| 0x8A150072 | -1978335118 | APPINSTALLER_CLI_ERROR_RESU ME_LIMIT_EXCEEDED | Exceeded max resume limit. |
| 0x8A150073 | -1978335117 | APPINSTALLER_CLI_ERROR_INVAL ID_AUTHENTICATION_INFO | Invalid authentication info. |
| 0x8A150074 | -1978335116 | APPINSTALLER_CLI_ERROR_AUTHE NTICATION_TYPE_NOT_SUPPORTE D | Authentication method not supported. |
| 0x8A150075 | -1978335115 | APPINSTALLER_CLI_ERROR_AUTHE NTICATION_FAILED | Authentication failed. |
| 0x8A150076 | -1978335114 | APPINSTALLER_CLI_ERROR_AUTHE NTICATION_INTERACTIVE_REQUIR ED | Authentication failed. Interactive authentication required. |
| 0x8A150077 | -1978335113 | APPINSTALLER_CLI_ERROR_AUTHE NTICATION_CANCELLED_BY_USER | Authentication failed. User cancelled. |
| 0x8A150078 | -1978335112 | APPINSTALLER_CLI_ERROR_AUTHE NTICATION_INCORRECT_ACCOUNT | Authentication failed. Authenticated account is not the desired account. |
| 0x8A150079 | -1978335111 | APPINSTALLER_CLI_ERROR_NO_RE PAIR_INFO_FOUND | Repair command not found. |
| 0x8A15007A | -1978335110 | APPINSTALLER_CLI_ERROR_REPAI R_NOT_APPLICABLE | Repair operation is not applicable. |
| 0x8A15007B | -1978335109 | APPINSTALLER_CLI_ERROR_EXEC_ REPAIR_FAILED | Repair operation failed. |
| 0x8A15007C | -1978335108 | APPINSTALLER_CLI_ERROR_REPAI R_NOT_SUPPORTED | The installer technology in use doesn't support repair. |
| 0x8A15007D | -1978335107 | APPINSTALLER_CLI_ERROR_ADMI N_CONTEXT_REPAIR_PROHIBITED | Repair operations involving administrator privileges are not permitted on packages installed within the user scope. |
| 0x8A15007E | -1978335106 | APPINSTALLER_CLI_ERROR_SQLIT E_CONNECTION_TERMINATED | The SQLite connection was terminated to prevent corruption. |
| 0x8A15007F | -1978335105 | APPINSTALLER_CLI_ERROR_DISPL AYCATALOG_API_FAILED | Failed to get Microsoft Store package catalog. |
| 0x8A150080 | -1978335104 | APPINSTALLER_CLI_ERROR_NO_AP PLICABLE_DISPLAYCATALOG_PACK AGE | No applicable Microsoft Store package found from Microsoft Store package catalog. |
| 0x8A150081 | -1978335103 | APPINSTALLER_CLI_ERROR_SFSCLI ENT_API_FAILED | Failed to get Microsoft Store package download information. |
| 0x8A150082 | -1978335102 | APPINSTALLER_CLI_ERROR_NO_AP PLICABLE_SFSCIENT_PACKAGE | No applicable Microsoft Store package download information found. |
| 0x8A150083 | -1978335101 | APPINSTALLER_CLI_ERROR_LICEN SING_API_FAILED | Failed to retrieve Microsoft Store package license. |

Install errors

| Hex | Decimal | Symbol | Description |
|------------|-------------|--------------------------------------------------------|---------------------------------------------------------------------------|
| 0x8A150101 | -1978334975 | APPINSTALLER_CLI_ERROR_INSTA LL_PACKAGE_IN_USE | Application is currently running. Exit the application then try again. |
| 0x8A150102 | -1978334974 | APPINSTALLER_CLI_ERROR_INSTA LL_INSTALL_IN_PROGRESS | Another installation is already in progress. Try again later. |
| 0x8A150103 | -1978334973 | APPINSTALLER_CLI_ERROR_INSTA LL_FILE_IN_USE | One or more file is being used. Exit the application then try again. |
| 0x8A150104 | -1978334972 | APPINSTALLER_CLI_ERROR_INSTA LL_MISSING_DEPENDENCY | This package has a dependency missing from your system. |
| 0x8A150105 | -1978334971 | APPINSTALLER_CLI_ERROR_INSTA LL_DISK_FULL | There's no more space on your PC. Make space, then try again. |
| 0x8A150106 | -1978334970 | APPINSTALLER_CLI_ERROR_INSTA | There's not enough memory |

| | | | |
|------------------------------------------------------|-------------|--------------------------------------------------------------|---------------------------------------------------------------------------------------|
| | | LL_INSUFFICIENT_MEMORY | available to install. Close other applications then try again. |
| 0x8A150107 | -1978334969 | APPINSTALLER_CLI_ERROR_INSTALL_NO_NETWORK | This application requires internet connectivity. Connect to a network then try again. |
| 0x8A150108 | -1978334968 | APPINSTALLER_CLI_ERROR_INSTALL_CONTACT_SUPPORT | This application encountered an error during installation. Contact support. |
| 0x8A150109 | -1978334967 | APPINSTALLER_CLI_ERROR_INSTALL_REBOOT_REQUIRED_TO_FINISH | Restart your PC to finish installation. |
| 0x8A15010A | -1978334966 | APPINSTALLER_CLI_ERROR_INSTALL_REBOOT_REQUIRED_TO_INSTALL | |
| Installation failed. Restart your PC then try again. | | | |
| 0x8A15010B | -1978334965 | APPINSTALLER_CLI_ERROR_INSTALL_REBOOT_INITIATED | Your PC will restart to finish installation. |
| 0x8A15010C | -1978334964 | APPINSTALLER_CLI_ERROR_INSTALL_CANCELLED_BY_USER | You cancelled the installation. |
| 0x8A15010D | -1978334963 | APPINSTALLER_CLI_ERROR_INSTALL_ALREADY_INSTALLED | Another version of this application is already installed. |
| 0x8A15010E | -1978334962 | APPINSTALLER_CLI_ERROR_INSTALL_DOWNGRADE | A higher version of this application is already installed. |
| 0x8A15010F | -1978334961 | APPINSTALLER_CLI_ERROR_INSTALL_BLOCKED_BY_POLICY | Organization policies are preventing installation. Contact your admin. |
| 0x8A150110 | -1978334960 | APPINSTALLER_CLI_ERROR_INSTALL_DEPENDENCIES | Failed to install package dependencies. |
| 0x8A150111 | -1978334959 | APPINSTALLER_CLI_ERROR_INSTALL_PACKAGE_IN_USE_BY_APPLICATION | Application is currently in use by another application. |
| 0x8A150112 | -1978334958 | APPINSTALLER_CLI_ERROR_INSTALL_INVALID_PARAMETER | Invalid parameter. |
| 0x8A150113 | -1978334957 | APPINSTALLER_CLI_ERROR_INSTALL_SYSTEM_NOT_SUPPORTED | Package not supported by the system. |
| 0x8A150114 | -1978334956 | APPINSTALLER_CLI_ERROR_INSTALL_UPGRADE_NOT_SUPPORTED | The installer does not support upgrading an existing package. |

Check for package installed status

| Hex | Decimal | Symbol | Description |
|------------|-------------|---------------------------------------------------------|-----------------------------------------------------------------|
| 0x8A150201 | -1978334719 | WINGET_INSTALLED_STATUS_APP_ENTRY_NOT_FOUND | The Apps and Features Entry for the package could not be found. |
| 0x8A150202 | -1978334718 | WINGET_INSTALLED_STATUS_INSTALL_LOCATION_NOT_APPLICABLE | The install location is not applicable. |
| 0x8A150203 | -1978334717 | WINGET_INSTALLED_STATUS_INSTALL_LOCATION_NOT_FOUND | The install location could not be found. |
| 0x8A150204 | -1978334716 | WINGET_INSTALLED_STATUS_FILE_HASH_MISMATCH | The hash of the existing file did not match. |
| 0x8A150205 | -1978334715 | WINGET_INSTALLED_STATUS_FILE_NOT_FOUND | File not found. |
| 0x8A150206 | -1978334714 | WINGET_INSTALLED_STATUS_FILE_FOUND_WITHOUT_HASH_CHECK | The file was found but the hash was not checked. |
| 0x8A150207 | -1978334713 | WINGET_INSTALLED_STATUS_FILE_ACCESS_ERROR | The file could not be accessed. |

Configuration Errors

| Hex | Decimal | Symbol | Description |
|------------|-------------|--------------------------------------------------------|-----------------------------------------------------|
| 0x8A15C001 | -1978286079 | WINGET_CONFIG_ERROR_INVALID_CONFIGURATION_FILE | The configuration file is invalid. |
| 0x8A15C002 | -1978286078 | WINGET_CONFIG_ERROR_INVALID_YAML | The YAML syntax is invalid. |
| 0x8A15C003 | -1978286077 | WINGET_CONFIG_ERROR_INVALID_FIELD_TYPE | A configuration field has an invalid type. |
| 0x8A15C004 | -1978286076 | WINGET_CONFIG_ERROR_UNKNOWN_CONFIGURATION_FILE_VERSION | The configuration has an unknown version. |
| 0x8A15C005 | -1978286075 | WINGET_CONFIG_ERROR_SET_APPPLY_FAILED | An error occurred while applying the configuration. |
| 0x8A15C006 | -1978286074 | WINGET_CONFIG_ERROR_DUPLICATE | The configuration contains a |

| | | | |
|------------|-------------|--------------------------------------------|-------------------------------------------------------------------|
| | | TE_IDENTIFIER | duplicate identifier. |
| 0x8A15C007 | -1978286073 | WINGET_CONFIG_ERROR_MISSING_DEPENDENCY | The configuration is missing a dependency. |
| 0x8A15C008 | -1978286072 | WINGET_CONFIG_ERROR_DEPENDENCY_UNSATISFIED | The configuration has an unsatisfied dependency. |
| 0x8A15C009 | -1978286071 | WINGET_CONFIG_ERROR_ASSERTION_FAILED | An assertion for the configuration unit failed. |
| 0x8A15C00A | -1978286070 | WINGET_CONFIG_ERROR_MANUALLY_SKIPPED | The configuration was manually skipped. |
| 0x8A15C00B | -1978286069 | WINGET_CONFIG_ERROR_WARNING_NOT_ACCEPTED | A warning was thrown and the user declined to continue execution. |
| 0x8A15C00C | -1978286068 | WINGET_CONFIG_ERROR_SET_DEPENDENCY_CYCLE | The dependency graph contains a cycle which cannot be resolved. |
| 0x8A15C00D | -1978286067 | WINGET_CONFIG_ERROR_INVALID_FIELD_VALUE | The configuration has an invalid field value. |
| 0x8A15C00E | -1978286066 | WINGET_CONFIG_ERROR_MISSING_FIELD | The configuration is missing a field. |
| 0x8A15C00F | -1978286065 | WINGET_CONFIG_ERROR_TEST_FAILED | Some of the configuration units failed while testing their state. |
| 0x8A15C010 | -1978286064 | WINGET_CONFIG_ERROR_TEST_NOT_RUN | Configuration state was not tested. |
| 0x8A15C011 | -1978286063 | WINGET_CONFIG_ERROR_GET_FAILED | The configuration unit failed getting its properties. |

Configuration Processor Errors

| Hex | Decimal | Symbol | Description |
|------------|-------------|------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| 0x8A15C101 | -1978285823 | WINGET_CONFIG_ERROR_UNIT_NOT_INSTALLED | The configuration unit was not installed. |
| 0x8A15C102 | -1978285822 | WINGET_CONFIG_ERROR_UNIT_NOT_FOUND_REPOSITORY | The configuration unit could not be found. |
| 0x8A15C103 | -1978285821 | WINGET_CONFIG_ERROR_UNIT_MULTIPLE_MATCHES | Multiple matches were found for the configuration unit specify the module to select the correct one. |
| 0x8A15C104 | -1978285820 | WINGET_CONFIG_ERROR_UNIT_INVOKE_GET | The configuration unit failed while attempting to get the current system state. |
| 0x8A15C105 | -1978285819 | WINGET_CONFIG_ERROR_UNIT_INVOKE_TEST | The configuration unit failed while attempting to test the current system state. |
| 0x8A15C106 | -1978285818 | WINGET_CONFIG_ERROR_UNIT_INVOKE_SET | The configuration unit failed while attempting to apply the desired state. |
| 0x8A15C107 | -1978285817 | WINGET_CONFIG_ERROR_UNIT_MODULE_CONFLICT | The module for the configuration unit is available in multiple locations with the same version. |
| 0x8A15C108 | -1978285816 | WINGET_CONFIG_ERROR_UNIT_IMPORT_MODULE | Loading the module for the configuration unit failed. |
| 0x8A15C109 | -1978285815 | WINGET_CONFIG_ERROR_UNIT_INVOKE_INVALID_RESULT | The configuration unit returned an unexpected result during execution. |
| 0x8A15C110 | -1978285814 | WINGET_CONFIG_ERROR_UNIT_SETTING_CONFIG_ROOT | A unit contains a setting that requires the config root. |
| 0x8A15C111 | -1978285813 | WINGET_CONFIG_ERROR_UNIT_IMPORT_MODULE_ADMIN | Loading the module for the configuration unit failed because it requires administrator privileges to run. |
| 0x8A15C112 | -1978285812 | WINGET_CONFIG_ERROR_NOT_SUPPORTED_BY_PROCESSOR | Operation is not supported by the configuration processor. |

Related Content

- <https://github.com/microsoft/winget-cli/blob/master/doc/windows/package-manager/winget/returnCodes.md>