

Cloudflare WARP integration with FileWave (macOS/iOS/Windows/Android)

Description

[Cloudflare WARP](#) is a popular choice of software to deploy to devices. This process can be simplified with FileWave.



Third Party Software

Slack is a third party application. The details provided are for example only and are unsupported by FileWave.

Ingredients

- Software installer for macOS and/or Windows, PKG/MSI
- VPP for iOS
- EMM for Android
- Configuration files

Information and resources are provided via the [Cloudflare Managed Deployment](#) documentation and the [Cloudflare WARP Download](#) page.

Directions


Cloudflare WARP has options for macOS, Windows, iOS and Android.

macOS


Cloudflare WARP for macOS requires the PKG installer, plus a configuration profile.

1. Create a Fileset Group and name as desired, e.g Cloudflare macOS
2. Download the Cloudflare PKG
3. Drag the PKG into the FileWave Admin Fileset Group created above
4. Highlight the Fileset Group and choose to create a New Desktop Fileset
5. Select Profile
6. In the Profile Editor window choose the Custom Settings Payload and Configure
7. The profile may be built from scratch or the Cloudflare example template could be downloaded, benefitting from the 'Upload file' option within the Profile Editor
8. If building manually, the preference domain should be: com.cloudflare.warp
9. Edit or add/remove keys and values as required. Details of [Cloudflare Parameters](#) below
10. Associate the Cloudflare Fileset Group to one or more test devices and deploy once satisfied all is well

Example Fileset Group



Example Custom Settings Payload, edit details as required




Windows

Cloudflare WARP for Windows requires the MSI installer, plus an XML configuration file

1. Download the Cloudflare MSI
2. Drag the MSI into the FileWave Admin Fileset view, creating a new Fileset
3. Download the mdm.xml template provided by Cloudflare or create one
4. Create a folder called Cloudflare within the ProgramData folder of the Fileset
5. Upload the XML file into this Cloudflare directory
6. Edit or add/remove keys and values within the XML as required. Details of [Cloudflare Parameters](#) below
7. Associate the Cloudflare Fileset to one or more test devices and deploy once satisfied all is well

Example Cloudflare Fileset



Example mdm.xml file, edit details as required

```
<dict>
  <key>organization</key>
  <string>exampleorg</string>
  <key>service_mode</key>
  <string>warp</string>
  <key>gateway_unique_id</key>
  <string>fmxk762nrj</string>
  <key>support_url</key>
  <string>http://support.example.com</string>
</dict>
```

iOS

Cloudflare for iOS requires the 1.1.1.1: Faster Internet App, with additional configuration

1. Purchase the free App Store App: [1.1.1.1: Faster Internet](#) through either Apple Business or School Manager
2. Associate the App to the relevant VPP licence and sync VPP in FileWave Preferences; accepting the creation of the new Fileset.
3. Double click the newly created Fileset and choose the Configuration tab
4. Manually create keys and values or upload the Cloudflare example template file
5. Edit or add/remove keys and values within the xml as required. Details of [Cloudflare Parameters](#) below
6. Associate the 1.1.1.1: Faster Internet Fileset to one or more test devices and deploy once satisfied all is well

Example Custom Settings Payload, edit details as required

Fileset Name: iOS App - ABM - 1.1.1.1: Faster Internet

Details
Kiosk
Configuration
Associated Domains (iOS 13+)

Application configuration

Key	Type	Value
auto_connect	Number	1
organization	String	yourorganization
service_mode	String	warp
support_url	String	https://support.example.com
switch_locked	Boolean	<input type="checkbox"/>

Upload File...
Export to File...
Add Item
Delete Item

Per-App VPN:
None

*This App should be managed in order to use Per-App VPN

*Make sure that selected Per-App VPN payload is deployed to your device

Cancel
OK

Android

Cloudflare for Android requires the 1.1.1.1: Faster & Safer Internet App, with additional configuration

1. Choose New Mobile Fileset
2. Select Play Store
3. Purchase the free Play Store App: [1.1.1.1: Faster & Safer Internet](#)
4. Double click the newly created Fileset and choose the Managed Properties tab
5. Edit or add/remove values as required. Details of [Cloudflare Parameters](#) below
6. Associate the 1.1.1.1: Faster & Safer Internet Fileset to one or more test devices and deploy once satisfied all is well

Example Managed Properties, edit values as required

Fileset Name: Play Store App - 1.1.1.1: Faster & Safer Internet

Configuration Permissions Managed Properties

Organization:
The user will be asked to sign into this organization. The name of the organization is case-insensitive.

Service mode:
Choose the mode in which the tunnel should run.

Gateway Unique ID:
Cloudflare Gateway DoH Subdomain. This option is not compatible with 1.1.1.1 for Families.


Enable the service: ☒
Force-enable the service in the selected (WARP/1.1.1.1) mode.

Support URL:
The URL provided here will be opened using the browser when the user uses the Send feedback option in the app. Supported on: iOS, Android.

Custom ID:
Custom/internal user identifier stored on the device.

Show onboarding: ☐
Show onboarding

Switch Locked: ☒
Switch Locked

Auto Connect: 
Auto Connect

Cancel OK

Cloudflare Parameters

All the above example configurations will require adapting to include appropriate keys and values for each environment. Explanations of each key and its possible requirements and values can be found in the [Cloudflare Parameters](#) list.

🔄Revision #4

★Created 13 July 2023 22:23:06 by Josh Levitsky

✎Updated 23 July 2023 23:57:43 by Josh Levitsky