

VMware Carbon Black Cloud sensor recipe (macOS)

Description

VMware Carbon Black is a powerful endpoint protection solution that plays a critical role in an organization's cybersecurity strategy. Deploying Carbon Black via the installer package through the admin console is a strategic approach that ensures consistent, efficient, and effective endpoint security. By mastering this deployment process, organizations can enhance their cybersecurity posture, mitigate threats proactively, and protect their digital assets in an increasingly dangerous digital landscape.

This guide will help you create a Fileset and deploy the application along with the required profiles.

Ingredients

- FileWave Central
- VMware Carbon Black Cloud dmg
- VMware CBC license code
- VMware CBC uninstaller code
- System Extension mobile configuration
- Network Extension Web Content Filter mobile configuration
- TCC Privacy Policy mobile configuration

Downloads

[VMware CBCloud Profiles.zip](#)

[VMware Carbon Black Cloud.fileset.zip](#)

Directions




Please note this recipe includes Carbon Black Cloud sensor (CB Defense) version 3.7.4.53. This version is supported on MacOS 11.0 and newer.

Downloading and extracting the MDM profiles and installers

You will first want to grab and download your VMware installations and profiles. The .dmg will need to be mounted first and then extract the necessary components from this file.


Once the .dmg has been mounted you will see the contents listed. Below is the CBCloud Install.pkg and doc folder containing the required MDM profiles.




The required MDM profiles and unattended script for the Fileset deployed are found in the docs folder within the mounted .dmg.

Extract the MDM profiles. These MDM profiles will be uploaded into FileWave Central. Below are the configurations for the three MDM profiles:

▼ Kernel Extension Policy



▼ Privacy and Consent Control (TCC) Policy



▼ Web Content Filter Policy

The screenshot shows the 'Profile Editor' window with the 'Web Content Filter' profile selected. The left sidebar shows the profile is mandatory for macOS 10.15+. The main configuration area includes fields for Filter Name, Identifier, Service Address, Organization, User Name, Password, and Certificate. Below these are checkboxes for filtering WebKit, Socket, and Network traffic, all of which are checked. At the bottom, there are fields for Socket and Network Filter Bundle Identifiers and Designated Requirements, all containing specific VMware Carbon Black Cloud identifiers and requirements.

Profile Editor

Search

☒ show only configured

macOS, iOS and tvOS

General
Mandatory

macOS 10.15+

Web Content Filter
1 payload(s) configured.

Filter Name
Display name of the filter in the app and on the device
VMware Carbon Black Cloud Network Extension Filter

Identifier
Identifier for the filter plug-in
com.vmware.carbonblack.cloud.se-agent

Service Address
Host name or IP Address or URL for the service
[optional]

Organization
Organization for the filter plug-in
[optional]

User Name
User name for authenticating to the service
[optional]

Password
Password for authenticating to the service
[optional]

Certificate
Certificate for authenticating to the service
No certificate payload is configured

☒ Filter WebKit Traffic
☒ Filter Socket Traffic
☒ Filter Network Traffic

Socket Filter Bundle Identifier
Bundle identifier of the socket filter provider system extension
com.vmware.carbonblack.cloud.se-agent.extension

Socket Filter Designated Requirement
Designated requirement of the socket filter provider system extension
100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

Network Filter Bundle Identifier
Bundle identifier of the network filter provider system extension
com.vmware.carbonblack.cloud.se-agent.extension

Network Filter Designated Requirement
Designated requirement of the network filter provider system extension
100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

Please check [Apple's Configuration Profile reference](#) for OS compatibility.

Cancel Settings Load Profile Save

MDM Profiles Configurations

If you do not have the VMware Carbon Black Cloud .dmg, you may create the Profiles with the following.

VMware CCB macOS version 3.8+ introduces Approving the System Extension


Approve System Extension

For the Allowed System Extension, please enter in the following:

▼ System Extension Policy

Specify the Apple Team ID and System Extension bundle Identifier in your Allowed System Extension configuration profile:

- System Extension Types: Allowed System Extensions
- Apple Team ID: 7AGZNQ2S2T
- System Extension Bundle ID: com.vmware.carbonblack.cloud.se-agent.extension



Kernel Extension Policy

For the Kernel Approval profile, please enter in the TeamID and BundleID:


Apple Team ID: 7AGZNQ2S2T

KEXT Bundle ID: com.carbonblack.defense.kext

Kernel Extension Policy: The recommended way to deliver this configuration is through the provided [MDM-KEXT-reboot-command.xml](#). FileWave has the Rebuild Kernel Cache command by highlighting the MDM client, right-clicking Restart (Supported MDM devices), checking the box for Rebuild Kernel Cache, and entering in the Kernel file path:

/Library/Extensions/CbDefenceSensor.kext

▼ Kernel Rebuild Cache



Privacy and Consent Control (TCC) Policy

The following will need to be entered for each of the BundleIDs along with Code Requirements and Services to set.

▼ TCC metadata

The fields should be completed exactly as follows. Please copy and paste for accuracy.

1]

Identifier: com.vmware.carbonblack.cloud.daemon

Identifier Type should be set to: Bundle ID

Code Requirement: identifier "com.vmware.carbonblack.cloud.daemon" and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

App or Service should be set to: SystemPolicyAllFiles

Access should be set to: Allow

2]

Identifier: com.vmware.carbonblack.cloud.se-agent.extension

Identifier Type should be set to: Bundle ID

Code Requirement: identifier "com.vmware.carbonblack.cloud.se-agent.extension" and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

App or Service should be set to: SystemPolicyAllFiles

Access should be set to: Allow

3]

Identifier: com.vmware.carbonblack.cloud.osqueryi

Identifier Type should be set to: Bundle ID

Code Requirement: identifier "com.vmware.carbonblack.cloud.osqueryi" and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

App or Service should be set to: SystemPolicyAllFiles

Access should be set to: Allow

4]

Identifier: com.vmware.carbonblack.cloud.uninstall

Identifier Type should be set to: Bundle ID

Code Requirement: identifier "com.vmware.carbonblack.cloud.uninstall" and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

App or Service should be set to: SystemPolicyAllFiles

Access should be set to: Allow

5]

Identifier: com.vmware.carbonblack.cloud.uninstallerui

Identifier Type should be set to: Bundle ID

Code Requirement: identifier "com.vmware.carbonblack.cloud.uninstallerui" and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

App or Service should be set to: SystemPolicyAllFiles

Access should be set to: Allow

Web Content Filter Policy

The following will need to be entered to create the web content filter manually.

▼ Web Content Filter Policy

The fields should be completed exactly as follows. Please copy and paste for accuracy.

In the General payload:

Payload Scope should be set to: System

In the Web Content Filter payload:

Filter Type: Plug-In

Plug-In Bundle ID: com.vmware.carbonblack.cloud.se-agent

Check Enable Socket Filtering

Filter Data Provider System Extension Bundle ID (macOS): com.vmware.carbonblack.cloud.se-agent.extension

Filter Data Provider Designated Requirement (macOS): identifier "com.vmware.carbonblack.cloud.se-agent.extension" and

anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

Check Enable Packet Filtering (macOS)

Filter Packet Provider System Extension Bundle ID (macOS): com.vmware.carbonblack.cloud.se-agent.extension


Filter Packet Provider Designated Requirement (macOS): identifier "com.vmware.carbonblack.cloud.se-agent.extension" and anchor apple generic and certificate 1[field.1.2.840.113635.100.6.2.6] /* exists */ and certificate leaf[field.1.2.840.113635.100.6.1.13] /* exists */ and certificate leaf[subject.OU] = "7AGZNQ2S2T"

Creating the VMware Carbon Black Cloud Fileset

You may download and upload the VMware Carbon Black Cloud Fileset into your FileWave Admin. You should see four items listed in the Fileset Contents:

1. CBCloud Install.pkg
2. check_for_profiles.sh script
3. cbcloud_install_unattended.sh script
4. install_VMware_CBCloud.sh script
5. uninstall_VMware_CBCloud.sh script

✓ Verification Settings: VMware CBCloud client will get updates from the CBCloud server. If your organization allows, be sure to change the verification settings from 'Self-Healing' to 'Ignore at Verify' for the Fileset.



The screenshot shows a macOS window titled "Fileset Contents: VMware Carbon Black Cloud". The window has a toolbar with icons for Import File/Folder, New Folder, Get Info, Edit Registry, Edit Text, Export Files, Delete, and Take Control. Below the toolbar, there is a "Revision:" dropdown set to "<default> (Initial Revision)" and a "Manage Revisions" button. A checkbox labeled "Hide unused folders" is checked. A search bar is also present. The main content is a table with columns: Name, Size, Access, User, Group, Verification, and ID. The table lists the following items:


Name	Size	Access	User	Group	Verification	ID
var		rw-rw-rw-	root	wheel		227
FileWave		rw-rw-r-x	root	admin		13716
FileWaveInstallers		rw-rw-r-x	root	wheel		666
CBCloud Install.pkg	72.4 MB	rw-r--r--	root	wheel	Self Healing	835109
cbcloud_install_unattended.sh	30.9 kB	rw-r-xr-x	root	wheel	Self Healing	835110
scripts		rw-rw-r-x	root	wheel		228
414405		rw-rw-r-x	root	wheel		835111
check_for_profiles.sh	1.6 kB	r-x-----	root	wheel	Self Healing	835237
install_VMware_CBCloud.sh	295 B	r-x-----	root	wheel	Self Healing	835116
uninstall_Vmware_CBCloud.sh	511 B	r-x-----	root	wheel	Self Healing	835117

VMware CBCloud install script

You will need to modify and add your company code to the install_VMware_CBCloud.sh script.

1. Highlight the Fileset and click on Scripts (FW Central menu)
2. Highlight Activation Scripts, install_VMware_CBCloud.sh
3. Click on Edit to open the script


4. Enter your company code, i.e. #####
5. Click OK to save
6. Click OK to save your changes




Check for Profiles requirement script

You will need to modify and add your profile bundle IDs to the requirement script.

1. Highlight the Fileset and on Scripts (FW Central menu)
2. Highlight Requirement Scripts, check_for_profiles.sh
3. Right-click and select properties
4. Select and click on the Launch Arguments tab
5. Enter in your three profile bundle IDs
6. Click 'Apply' to save your changes
7. Select and click on the Environment Variables tab
8. Confirm the all_or_one variables string is set to 'all'
9. Click 'Apply' to save your changes, if not saved
10. Close the script properties window
11. Click OK to save your changes to the requirement script



Vmware uninstall script

 This is optional and not required!

If you have a company code to allow uninstallation of the VMware Carbon sensor, you may enter your code into the script under:

- Line 12 <CompanyCodeHere>; replace with your code and remove the <>

▼ uninstall_Vmware_CBCloud.sh

```
#!/bin/bash

#Logging uninstallation
exec 1>>/var/log/fwclld.log
exec 2>>/var/log/fwclld.log



#Uninstalling VMware CBCloud sensor
# There are two command line options:
# -c <CODE> If specified by the policy active on the endpoint, this option and uninstall code will be
required.
# -y Skips the interactive prompt to confirm that uninstallation is desired. Recommended for unattended
uninstall.

/Applications/VMware\ Carbon\ Black\ Cloud/uninstall.bundle/Contents/MacOS/uninstall -c <CompanyCodeHere> -y

exit 0
```

To make the changes in the Fileset:


1. Highlight the Fileset and click on Scripts (FW Central menu)
2. Highlight Pre-Uninstallation Scripts, uninstall_VMware_CBCloud.sh
3. Click on Edit to open the script
4. Enter in your company code, i.e. #####
5. Click OK to save
6. Click OK to save your changes



Fileset Group

Once the Fileset and Profiles have been created, the best practice is to create a Fileset group. Organizing and keeping multiple profiles and Filesets within the same group for the same application and its configurations is great management and organization.

- Profiles should be installed first. The VMware Carbon Black Cloud Fileset has a requirement script to ensure profiles are installed, before commencing with download and activation of the Fileset.

▼  VMware Carbon Black Cloud Sensor		
	Profile - Carbon Black Cloud (2023)	Initial Revision
	Profile - Carbon Black Cloud Kext Approval (2023)	Initial Revision
	Profile - Carbon Black Cloud macOS 12+ System Extension (2024)	Initial Revision
	Profile - VMware Carbon Black Cloud Network Extension Filter (2023)	Initial Revision
	VMware Carbon Black Cloud	Initial Revision

Remember to always test Fileset to a few devices before mass deployment.

Related Content

- [VMware Carbon Black Cloud release notes](#)

🔄Revision #24
★Created 27 September 2023 18:53:45 by Andrew Kloosterhuis
✎Updated 12 March 2024 13:12:57 by Andrew Kloosterhuis